


三喜運輸(株)

クールサーム施工期間：2025年4月19日～2025年5月2日 面積：屋根 1,107㎡、外壁 586㎡

外気温が一番高かった7/29の比較
 南面：室温Aと室温Eの温度差：約9℃



最高温度	7/5	7/6	7/7	7/8	7/9	7/10	7/11	7/12	7/13	7/14	7/15	7/16	7/17	7/18	7/19	7/20	7/21	7/22	7/23	7/24	7/25	7/26	7/27	7/28	7/29	7/30	7/31
天気	☁/☀	☀	☁/☀	☁/☀	☀	☁/☔	☁	☁	☁/☀	☁/☔	☔	☁/☔	☁/☀	☀/☁	☁/☀	☀	☀	☀/☁	☀/☔	☀/☁	☀	☀	☀/☁	☀	☀	☀	☀
外気温(熊谷)	32.5	35.1	35.8	36.2	36.0	34.7	25.0	25.7	32.0	31.0	29.3	32.6	32.7	33.4	34.4	35.3	36.6	36.8	36.9	36.8	36.7	37.7	36.3	37.6	38.1	36.0	34.3
室温A	29.9	30.9	30.9	31.8	32.4	32.0	27.0	27.3	29.7	28.3	27.8	28.7	28.8	29.8	30.5	31.2	31.8	31.8	32.3	32.4	32.3	32.7	32.1	32.6	33.2	32.7	32.0
室温B	30.1	30.7	30.4	31.9	32.7	31.6	26.9	26.9	29.2	28.5	27.7	28.9	29.1	29.7	30.4	31.0	31.6	31.5	32.2	32.1	31.9	32.6	31.7	32.5	33.1	32.6	32.0
室温C	29.5	30.1	30.0	32.3	32.0	32.2	26.3	26.4	29.5	28.5	27.8	29.3	29.3	30.5	30.9	31.4	32.2	32.2	33.2	33.0	32.9	33.3	32.3	33.4	33.8	33.4	32.7
室温D	29.4	30.1	30.0	31.3	31.5	31.0	26.5	26.4	28.6	27.7	27.5	28.6	28.7	29.4	29.9	30.4	31.0	31.0	31.6	31.5	31.4	32.0	31.3	32.0	32.2	31.8	31.3
室温E	35.9	40.4	38.1	39.6	38.9	38.1	27.2	30.6	37.1	32.7	31.4	33.3	33.3	36.1	37.7	40.4	42.5	40.4	41.3	41.1	41.0	41.9	41.0	40.6	41.8	39.8	37.5
室温F	32.7	37.3	35.8	36.8	36.6	34.8	25.7	29.0	33.9	31.2	30.6	32.1	31.8	34.3	35.4	37.3	38.8	37.5	37.8	37.1	37.5	39.1	38.6	36.9	37.6	35.6	33.7